

**2024 Soybean Research
Verification Program Weekly
Update
June 21, 2024**



Update No. 7

General	By Chris Elkins. Rainfall was scattered as expected this time of year with Mississippi County receiving the most with 2.25" rain and three fields received no rain. Irrigation is now in full swing with the majority of fields expecting first irrigation next week. Disease pressure has picked up in the Cross County field. Insect pressure remains low. Refer to table below for field specific information.		
County	Variety	Stage	General Information
Arkansas 1	Pioneer P47A64X	R2	Received 1.7" rain, remains clean, low insect pressure, second irrigation scheduled for 6/28.
Arkansas 2	Pioneer P48A14E	R2	Received .9" rain, starting to set a few pods, insect and disease pressure remain low, Initial irrigation scheduled for 6/25.
Craighead	NK 49-C2XFS	V5	Received .25" rain. Excellent growth, good stand of replants, recommended 1 qt Liberty + 1 qt. glyphosate + 1.25 pts s-metolachlor.
Cross	Virtue 4520S	R4	Received .6" rain, good canopy, 2.5/25 Greene Stinkbugs, Frogeye scattered, second irrigation scheduled for 6/22.
Drew	Asgrow AG46X0	R3	Received .35" rain, loose canopy, Insect and disease pressure remain low, initial irrigation 6/15, second irrigation scheduled for 6/22.
Jackson	Pioneer P48A14E	V6	Received .25" rain, excellent growth, remains clean, initial irrigation scheduled for 6/25.
Jefferson	Dyna Gro S46XS60	R3	Received 1.37" rain, looks good, initial irrigation scheduled for 6/26.
Lawrence	Dyna Gro DG46XF31	R3	No rain, remains clean, low insect and disease pressure, second irrigation scheduled for 6/22.
Mississippi	Becks 4885XF	R4	Received 2.25" rain, good pod set, insect pressure remains low, initial irrigation scheduled for 6/28.
Poinsett	Asgrow AG45XF3	V5	Received .33" rain. Good growth, regrowth of larger weeds recommended 1qt. glyphosate + 1 qt. Liberty.
Randolph	Pioneer P52A14SE	V8	Received .2" rain, good growth, defoliation pressure continues to drop. initial irrigation scheduled for 6/25.
St. Francis	Pioneer 46A20LX	V6	Received .51" rain, good growth, remains clean, insect pressure remains low, initial irrigation scheduled for 6/28.
White	Pioneer P48A14E	V5	No rain, good growth, remains clean, started raining after scouting.
Yell		V1	No rain, replanted corners, recommended 1 qt. Enlist One + 1 qt. glyphosate + s-metolachlor.