

<b>General</b>	By Chris Elkins. Rainfall continues to be spotty with Mississippi County receiving the most with 2.00” rain and six fields receiving no rain. Irrigation is a priority for most fields and a couple of fields have struggled with well issues. Three fields have reached R5 and are steadily filling pods. Disease and insect pressure remains low. Refer to table below for field specific information.		
<b>County</b>	<b>Variety</b>	<b>Stage</b>	<b>General Information</b>
Arkansas 1	Pioneer P47A64X	R3	No rain, Early R3, low insect pressure, second irrigation 7/1, third irrigation scheduled for 7/13.
Arkansas 2	Pioneer P48A14E	R3	No rain, Early R3, Excellent growth, good canopy, insect and disease pressure remain low, second irrigation 7/5.
Craighead	NK 49-C2XFS	R2	No rain. Early R2, good weed control, Initial irrigation scheduled for 7/3.
Cross	Virtue 4520S	R5	Received .28”, quickly filling pods, < 1/25 green stinkbugs, third irrigation scheduled for 7/4.
Drew	Asgrow AG46X0	R4	No rain, Late R4, Insect pressure remain low, well issued delayed third irrigation started 7/5.
Jackson	Pioneer P48A14E	R2	No rain should canopy soon, insect and disease pressure remain low, Second irrigation 7/1. Few rows not watering out.
Jefferson	Dyna Gro S46XS60	R5	No rain, good pod set, slight frog-eye, second irrigation scheduled for 7/8.
Lawrence	Dyna Gro DG46XF31	R4	Received .23” rain, good canopy, low insect and disease pressure, third irrigation scheduled for 7/8.
Mississippi	Becks 4885XF	R5	Received 2” rain, good potential, insect pressure remains low, Second Irrigation 7/3.
Poinsett	Asgrow AG45XF3	R2	Received .65” rain. Growth slowed, will irrigate ASAP., insect pressure remains low.
Randolph	Pioneer P52A14SE	R2	Received .2” rain, Excellent growth, second irrigation 6/29. Insect and disease pressure remains low.
St. Francis	Pioneer 46A20LX	R2	Received .25” rain, Excellent growth, remains clean, Insect pressure remains low, second irrigation scheduled for 7/6.
White	Pioneer P48A14E	R2	Received .45” rain, Slow to canopy, remains clean, insect pressure remains low, second irrigation scheduled for 7/6.
Yell	Pioneer P48A14E	V4	Received 1.16”, Steady growth, few V5, good broadleaf control, will re-evaluate grass control next week.